

Analysis Sandalwood Essential Oil

Laboratoire
PhytoChemia



Plus que des analyses... des conseils



Date : January 26, 2017

SAMPLE IDENTIFICATION

Internal code : 17A12-FSE1-1-DM

Customer identification : Sandalwood - Lot #13-1016

Type : Essential Oil

Source : Santalum album

Customer : Flowers Shining Everywhere Inc.

ANALYSIS

Method : PC-PA-001-15E06, "Analysis of the composition of a liquid essential oil by GC-FID" (in French).

Analyst : Sylvain Mercier, M. Sc., chimiste

Analysis date : 2017-01-20

Checked and approved by :



Alexis St-Gelais, M. Sc., chimiste 2013-174



Note: This report may not be published, including online, without the written consent from Laboratoire PhytoChemia.

This report is digitally signed, it is only considered valid if the digital signature is intact.



IDENTIFIED COMPOUNDS

livinglibations Identification	Column: BP5			Column: WAX			Molecular Class
	R.T.	R.I.	%	%	R.I.	R.T.	
Santalone	8.82	1186	0.02	0.02	1465	8.74	Terpenic ketone
Teresantalic acid	14.40	1309	0.02	0.02	2120	41.24	Monoterp. acid
Tricycloekasantalal	15.73	1329	0.13				Terpenic aldehyde
α -Cedrene	19.84	1391	0.02	0.02	1484	9.18	Sesquiterpene
α -Santalene	20.59	1401	0.48	0.40	1502	9.82	Sesquiterpene
<i>trans</i> - α -Bergamotene	21.76	1415	0.09	0.08	1515	10.34	Sesquiterpene
(<i>Z</i>)- <i>epi</i> - β -Santalene	22.81	1427	0.45	0.40	1554	11.82	Sesquiterpene
(<i>Z</i>)- β -Santalene	23.81	1439	0.63	0.66	1570	12.42	Sesquiterpene
γ -Curcumene	25.62	1461	0.04	0.04	1611	14.33	Sesquiterpene
α -Curcumene	26.18	1468	0.13	0.12	1687	18.39	Sesquiterpene
β -Bisabolene	28.40	1495	0.05	0.07	1650	16.37	Sesquiterpene
β -Curcumene	28.56	1497	0.11	0.08	1659	16.88	Sesquiterpene
(<i>E</i>)-Nerolidol	33.67	1567	0.18	0.25	1989	37.22	Sesquiterp. alcohol
+ Spathulenol	33.81	1569	0.08	0.08	2019	38.20	Sesquiterp. alcohol
α -Cedrol	34.66	1581	0.08	0.10	1985	37.05	Sesquiterp. alcohol
Unknown (m/z = 91, 188 (59), 160 (49), 77 (46), 93 (45), 105 (44), 79 (42)... 216 (9))	37.53	1639	0.95				Oxygenated sesquiterpene
α -Eudesmol	37.80*	1646	0.37	0.06	2124	41.35	Sesquiterp. alcohol
β -Eudesmol	37.80*	1646	[0.37]	0.26	2110	40.97	Sesquiterp. alcohol
Unknown santalol analog (m/z = 93, 91 (59), 121 (57), 79 (52), 152 (49), 107 (44), 77 (40)... 218 (6))	38.11	1654	1.84				Oxygenated sesquiterpene
(<i>E</i>)- α -Santalal	38.22	1656	0.58				Sesquiterp. aldehyde
Unknown santalol analog (m/z = 95, 123 (77), 94 (77), 151 (61), 121 (56), 93 (51)... 220 (5))	38.32	1659	0.44	0.41	2012	37.96	Sesquiterp. alcohol
Unknown santalol analog (m/z = 95, 94 (78), 123 (75), 93 (62), 151 (60)... 220 (0))	38.63	1666	+ 2.76	2.35	2027	38.44	Oxygenated sesquiterpene
β -Bisabolol	38.67	1667	0.36	0.86	2057	39.43	Sesquiterp. alcohol
(<i>Z</i>)- α -Santalol	39.29	1682	45.02	46.58	2256	44.63	Sesquiterp. alcohol
Unknown santalol analog (m/z = 93, 94 (71), 43 (67), 91 (63), 79 (56), 107 (53), 41 (44)...)	39.38	1684	0.25				Oxygenated sesquiterpene
(<i>Z</i>)- α - <i>trans</i> -Bergamotol	39.65	1691	4.10	4.05	2264	44.82	Sesquiterp. alcohol
(<i>E</i>)- α -Santalol	39.78	1694	0.74	0.42	2281	45.23	Sesquiterp. alcohol

Unknown (m/z = 81, 136 (75), 121 (63), 109 (58), 41 (57), 93 (44), 107 (34)... 238 (1))	39.92	1698	0.37				Sesquiterp. ester
(Z)-epi-β-Santalol	40.12	1704	4.57	4.33	2312	45.92	Sesquiterp. alcohol
Unknown santalol analog (m/z = 93, 94 (70), 91 (59), 77 (52), 105 (44), 79 (42), 41 (40)...) (xx)	40.23	1708	0.49				Oxygenated sesquiterpene
(Z)-β-Santalol	40.70	1722	17.69	18.01	2332	46.33	Sesquiterp. alcohol
(Z)-Nuciferol	40.95	1729	2.11	1.51	2424	48.27	Sesquiterp. alcohol
(E)-β-Santalol	41.27	1739	1.27	1.11	2364	47.02	Sesquiterp. alcohol
Drimenol	41.70	1753	0.29	0.18	2379	47.35	Sesquiterp. alcohol
(Z)-β-Curcumen-12-ol	41.84	1757	0.70	0.58	2392	47.63	Sesquiterp. alcohol
(Z)-Lanceol	42.11	1766	2.80	2.45	2398	47.76	Sesquiterp. alcohol
(Z)-α-Santalyl acetate	42.43	1776	0.11				Sesquiterp. ester
Unknown bergamotol analog (m/z = 119, 91 (59), 93 (56), 79 (56), 107 (52)...) (xx)	43.01	1794	0.39				Oxygenated sesquiterpene
Octadecanol?	48.27	1994	0.26				Aliphatic alcohol
Total identified				83.48%	82.74%		

*: Two or more compounds are coeluting on this column

[xx]: Duplicate percentage due to coelutions, not taken account in the identified total

Note: no correction factor was applied

OTHER DATA

Physical aspect : Light yellow liquid

Refractive index : 1.5065 ± 0.0003 (20 °C)

CONCLUSION

No adulterant, contaminant or diluent were detected using this method.

17A12-FSE1-1-DM_BP5



